

Exam: **HPE2-T37**

Title: Using HPE OneView

<https://www.passcert.com/HPE2-T37.html>

1.What is a network set?

- A. It is a collection of all internal networks defined for a specific type of traffic like vSAN or vMotion.
- B. It is a collection of untagged Ethernet networks that form a named group to simplify server profile creation.
- C. It is a collection of tagged Ethernet networks that form a named group to simplify server profile creation.
- D. It is a collection of all networks configured within HPE OneView regardless of network type.

Answer: B

2.what is required to add a remote frame to the primary management ring?

- A. UUD of the remote HPE Composer
- B. Serial number of one of the remote frames
- C. Remote frame Link Module IPv6 address
- D. Request code from the primary HPE Composer

Answer: A

3.How can your customer implement HPE OneView so that it can be used to manage an HPE ProLiant server and HPE BladeSystem?

- A. As an application running on the server with Windows system.
- B. As a physical appliance based on HPE ProLiant 360 Gen 10.
- C. As an application running on the server with CentOS Linux system
- D. As a virtual appliance running on the supported hypervisor.

Answer: D

Explanation:

Reference: https://support.hpe.com/hpesc/public/docDisplay?docId=emr_na-c03934110

4.DRAG DROP

For each feature, indicate whether it is available with both hpeoneview Standard and hpeoneview Advanced licenses, or only with an hpeoneview Advanced license.

Answer Area	License	Feature
both Standard and Advanced		Firmware management
only Advanced		Remote Support
		Reporting
		Smart Search, Activity View, Dashboard

Answer:

Answer Area	License	Feature
both Standard and Advanced	only Advanced	Firmware management
only Advanced	only Advanced	Remote Support
	both Standard and Advanced	Reporting
	both Standard and Advanced	Smart Search, Activity View, Dashboard

Explanation:

Graphical user interface, application

Description automatically generated

5.A customer has to deploy 21 HPE Synergy Compute Modules in a boot from SAN setup.

How this task can be simplified while keeping the profile consistent?

- A. Boot volumes can be created on demand and defined in the server profile template.
- B. Boot volumes can be prepared in advance and later presented as shared volumes to the Compute Modules.
- C. An existing volume can be replicated automatically when creating a server profile.
- D. single SAN volume can be created and utilized by all HPE Synergy Compute Modules.

Answer: A

6.You plan to update HPE OneView to the latest version

What Should you do Mora starting HPE OneView update?

- A. Disable HPE Remote Support at toe HPE OneView appliance level
- B. Put all servers managed through HPE OneView to maintenance state
- C. Run the Update Readiness checker tool to evaluate HPE OneView health status
- D. Create a support dump for the appliance and for all managed logical interconnects

Answer: C

7.Your customer is considering HPE Synergy as a hardware platform for visualization workload. The customer environment is wry dynamic, and they often have to modify hypervisor networking.

Which resource provided by HPE should you discuss with this customer?

- A. HPE OneView Global Dashboard allows server profile replication and change management.
- B. PowerShell Library for HPE OneView allows scripted environment modification.
- C. HPE OneView for VMware vCenter Server will enable host profile functionality and simplify changes.
- D. HPE Image Streamer provides templates which can be updated to map the hypervisor requirements

Answer: C

Explanation:

Reference: <https://developer.hpe.com/blog/powershell-defined-infrastructure/>

8. What is the best practice when deploying an HPE OneView appliance?

- A. Enable VMware Fault Tolerance if the appliance is deployed to a VMware hypervisor.
- B. Deploy the appliance in a hypervisor cluster that is not managed by OneView.
- C. Use thin-provisioning for the HPE OneView appliance to save storage capacity.
- D. Deploy two HPE OneView appliances and configure them in HA mode.

Answer: B

9. Your customer wants to manage their HPE Superdome Flex using HPE OneView.

Which component must be added to HPE OneView to accomplish this task?

- A. Baseboard Management Controller (BMC)
- B. Rack Management Controller (RMC)
- C. all nPARs created within the complex
- D. only the base chassis from the complex

Answer: B

Explanation:

Reference: <http://itdoc.hitachi.co.jp/manuals/rv3000/hard/SDF/Server/SDF280/P06150-401a.pdf>

10. Refer to the exhibit.

The screenshot shows the HPE OneView interface. On the left, a table lists SANs. On the right, the details for SAN1_1 are shown.

Name	SAN Manager	State
29:00:7a:2b:21:e0:00:5a	172.18.19.1	Discovered
SAN1_1	172.18.15.1	Discovered
SAN1_2	172.18.15.1	Discovered

General

State	Discovered
Type	FC
Principal switch	29:00:7A:2B:21:E0:00:86
Primary SAN manager	172.18.15.1
Alternate SAN managers	none
Associated networks	none

Zoning Policy [Edit](#)

Zoned	Yes
Automate zoning	Yes

After adding SAN Manager to HPE OneView, you noticed that all SANs are in the discovered state.

How will this affect HPE OneView storage management capabilities?

- A. Snapshot functionality will be limited only to the volumes not using these SANs.
- B. Volume presentation through server profile will work with the discovered state.
- C. Auto-zoning functionality will not work until SANs are associated with networks.
- D. Volume provisioning will only work for arrays that are accessible through these SANs.

Answer: C